ANALYTICAL REPORT

Lab Number:	L2040242
Client:	New Jersey DEP 516 E. State Street Trenton, NJ 08625
ATTN:	Dave Dibblee
Phone:	(609) 376-9415
Project Name:	B0276190
Project Number:	Not Specified
Report Date:	10/09/20

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com

628322

Project Name: B0276190
Project Number: Not Specified

Lab Number: L2040242
Report Date: 10/09/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2040242-01	[redacted]	DW	Not Specified	09/23/20 10:15	09/24/20
L2040242-02	[redacted]	DW	Not Specified	09/23/20 10:54	09/24/20
L2040242-03	[redacted]	DW	Not Specified	09/23/20 11:44	09/24/20
L2040242-04	[redacted]	DW	Not Specified	09/23/20 10:19	09/24/20
L2040242-05	[redacted]	DW	Not Specified	09/23/20 12:39	09/24/20
L2040242-06	[redacted]	DW	Not Specified	09/23/20 12:52	09/24/20
L2040242-07	[redacted]	DW	Not Specified	09/23/20 12:14	09/24/20
L2040242-08	[redacted]	DW	Not Specified	09/23/20 13:45	09/24/20

Project Name:	B0276190	**Lab Number:**	L2040242
Project Number:	Not Specified	**Report Date:**	10/09/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: B0276190 **Lab Number:** L2040242
Project Number: Not Specified **Report Date:** 10/09/20

Case Narrative (continued)

Perfluorinated Alkyl Acids

L2040242-01: The surrogate recoveries were outside the acceptance criteria for 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (49%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (53%); however, re-extraction achieved similar results: 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (66%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (63%). The results of the re-extraction are reported; however, all associated compounds are considered to have a potential bias.

L2040242-02: The surrogate recoveries were outside the acceptance criteria for perfluoro-n-[1,2-13c2]hexanoic acid (13c-pfhxa) (54%), 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (51%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (63%) and the Internal standard recovery for 13C-PFOA was above accpetance criteria; however, re-extraction outside of holding time achieved similar results: perfluoro-n-[1,2-13c2]hexanoic acid (13c-pfhxa) (48%), 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (44%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (51%). The results of the original extraction are reported; however, all associated compounds are considered to have a potential bias.

L2040242-03 and -04: The samples were re-analyzed due to failing surrogate recoveries. The results of the reanalysis are reported and both sets of data are available in the raw data package.

L2040242-03: The surrogate recovery was outside the acceptance criteria for 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (61%); however, the recovery was confirmed by the QC performed on this sample; therefore, re-extraction was not required.

L2040242-04: The surrogate recovery was outside the acceptance criteria for perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (67%); however, re-extraction could not be performed due to lack of additional sample. The results of the original analysis are reported; however, all associated compounds are considered to have a potential bias.

L2040242-05: The surrogate recoveries were outside the acceptance criteria for 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (52%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (56%); however, re-extraction achieved similar results: 2,3,3,3-tetrafluoro-2-

Project Name: B0276190 **Lab Number:** L2040242
Project Number: Not Specified **Report Date:** 10/09/20

Case Narrative (continued)

[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (67%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (65%). The results of the re-extraction are reported; however, all associated compounds are considered to have a potential bias.

L2040242-06: The surrogate recoveries were outside the acceptance criteria for perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (65%) ; however, re-extraction achieved similar results: perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (68%) . The results of the re-extraction was reported; however, all associated compounds are considered to have a potential bias.

L2040242-07: The surrogate recoveries were outside the acceptance criteria for perfluoro-n-[1,2-13c2]hexanoic acid (13c-pfhxa) (54%), 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (50%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (56%) and the Internal standard recovery for 13C-PFOA was above acceptance criteria; however, re-extraction outside of holding time achieved similar results: perfluoro-n-[1,2-13c2]hexanoic acid (13c-pfhxa) (64%), 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (61%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (59%). The results of the original extraction are reported; however, all associated compounds are considered to have a potential bias.

L2040242-08: The surrogate recoveries were outside the acceptance criteria for perfluoro-n-[1,2-13c2]hexanoic acid (13c-pfhxa) (49%), 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (45%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (51%) and the Internal Standard recovery for 13C-PFOA was above acceptance criteria; however, re-extraction outside of holding time achieved similar results: perfluoro-n-[1,2-13c2]hexanoic acid (13c-pfhxa) (52%), 2,3,3,3-tetrafluoro-2-[1,1,2,2,3,3,3-heptafluoropropoxy]-13c3-propanoic acid (m3hfpo-da) (50%) and perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (53%). The results of the original extraction are reported; however, all associated compounds are considered to have a potential bias.

WG1417215-1: The surrogate recovery was outside the acceptance criteria for perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (67%); however, re-extraction could not be performed due to lack of additional sample. The results of the original analysis are reported; however, all associated compounds are considered to have a potential bias.

Project Name:	B0276190	**Lab Number:**	L2040242
Project Number:	Not Specified	**Report Date:**	10/09/20

Case Narrative (continued)

The surrogate recovery for the WG1417215-2 LCS, associated with L2040242-03 and -04, are outside the acceptance criteria for perfluoro-n-[1,2-13c2]decanoic acid (13c-pfda) (67%). The LCS spike compounds are within overall method allowances; therefore, no further action was taken.

WG1417215-2/-3: The LCS/LCSD recoveries, associated with L2040242-03 and -04, are within the 50-150% acceptance criteria for low level Perfluorinated Alkyl Acids.

WG1419389-2/-3: The LCS/LCSD recoveries, associated with L2040242-01, -05, and -06, are within the 50-150% acceptance criteria for low level Perfluorinated Alkyl Acids.

WG1419389-2/-3: The LCS/LCSD RPDs, associated with L2040242-01, -05, and -06, are within the 50% acceptance criteria for low level Perfluorinated Alkyl Acids except where noted.

The WG1419389-2/-3 LCS/LCSD RPD, associated with L2040242-01, -05, and -06, is above the acceptance criteria for 9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9cl-pf3ons) (53%).

WG1417215-4/-5: The Matrix Spike level is at the Reporting Limit (RL) with acceptance criteria of 50-150%. Any detections below the RL in the native sample are not included in the % Recovery calculation.

The WG1417215-4/-5 MS/MSD recoveries, performed on L2040242-03, are outside the acceptance criteria for perfluorohexanesulfonic acid (pfhxs) (47%/31%), perfluorooctanoic acid (pfoa) (156% MS only), perfluorononanoic acid (pfna) (157% MS only) and perfluorooctanesulfonic acid (pfos) (190%/176%).

WG1417215-4/-5: The MS/MSD RPDs, performed on L2040242-03, are within the 50% acceptance criteria for low level Perfluorinated Alkyl Acids.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Susan E O'Neil Susan O' Neil

Title: Technical Director/Representative Date: 10/09/20

ORGANICS

SEMIVOLATILES

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-01 RE
Client ID: [redacted]
Sample Location: Not Specified

Date Collected: 09/23/20 10:15
Date Received: 09/24/20
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/08/20 09:18
Analyst: SH

Extraction Method: EPA 537
Extraction Date: 10/07/20 15:55

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.20	--	1
Perfluorohexanoic Acid (PFHxA)	20.3		ng/l	2.20	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	4.39	--	1
Perfluoroheptanoic Acid (PFHpA)	4.52		ng/l	2.20	--	1
Perfluorohexanesulfonic Acid (PFHxS)	4.08		ng/l	2.20	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.20	--	1
Perfluorooctanoic Acid (PFOA)	15.8		ng/l	2.20	--	1
Perfluorononanoic Acid (PFNA)	26.5		ng/l	2.20	--	1
Perfluorooctanesulfonic Acid (PFOS)	63.2		ng/l	2.20	--	1
Perfluorodecanoic Acid (PFDA)	6.02		ng/l	2.20	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.20	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.20	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.20	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.20	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.20	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.20	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.20	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.20	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	72		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**66**	Q	70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**63**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	75		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-02
Client ID: [redacted]
Sample Location: Not Specified

Date Collected: 09/23/20 10:54
Date Received: 09/24/20
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/05/20 14:51
Analyst: JW

Extraction Method: EPA 537
Extraction Date: 10/02/20 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	2.20		ng/l	2.07	--	1
Perfluorohexanoic Acid (PFHxA)	20.1		ng/l	2.07	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	4.14	--	1
Perfluoroheptanoic Acid (PFHpA)	4.02		ng/l	2.07	--	1
Perfluorohexanesulfonic Acid (PFHxS)	5.35		ng/l	2.07	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.07	--	1
Perfluorooctanoic Acid (PFOA)	17.6		ng/l	2.07	--	1
Perfluorononanoic Acid (PFNA)	33.6		ng/l	2.07	--	1
Perfluorooctanesulfonic Acid (PFOS)	101		ng/l	2.07	--	1
Perfluorodecanoic Acid (PFDA)	8.33		ng/l	2.07	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.07	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.07	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.07	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.07	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.07	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.07	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.07	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.07	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	**54**	Q	70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**51**	Q	70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**63**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	81		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-03 R
Client ID: [redacted]
Sample Location: Not Specified

Date Collected: 09/23/20 11:44
Date Received: 09/24/20
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/06/20 19:45
Analyst: SH

Extraction Method: EPA 537
Extraction Date: 10/02/20 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	2.29		ng/l	1.79	--	1
Perfluorohexanoic Acid (PFHxA)	3.89		ng/l	1.79	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	3.57	--	1
Perfluoroheptanoic Acid (PFHpA)	2.14		ng/l	1.79	--	1
Perfluorohexanesulfonic Acid (PFHxS)	13.1		ng/l	1.79	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.79	--	1
Perfluorooctanoic Acid (PFOA)	6.43		ng/l	1.79	--	1
Perfluorononanoic Acid (PFNA)	7.93		ng/l	1.79	--	1
Perfluorooctanesulfonic Acid (PFOS)	13.0		ng/l	1.79	--	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.79	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.79	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.79	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.79	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.79	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.79	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.79	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.79	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.79	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	75		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**61**	Q	70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	71		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	77		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-04 R
Client ID: [redacted]
Sample Location: Not Specified

Date Collected: 09/23/20 10:19
Date Received: 09/24/20
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/06/20 20:11
Analyst: SH

Extraction Method: EPA 537
Extraction Date: 10/02/20 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	1.83	--	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	1.83	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	3.65	--	1
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	1.83	--	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	1.83	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.83	--	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	1.83	--	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	1.83	--	1
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	1.83	--	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.83	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.83	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.83	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.83	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.83	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.83	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.83	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.83	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.83	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	80		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	71		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**67**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	86		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-05 RE
Client ID: [redacted]
Sample Location: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/08/20 09:26
Analyst: SH

Date Collected: 09/23/20 12:39
Date Received: 09/24/20
Field Prep: Not Specified

Extraction Method: EPA 537
Extraction Date: 10/07/20 15:55

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	2.57		ng/l	1.86	--	1
Perfluorohexanoic Acid (PFHxA)	50.0		ng/l	1.86	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	3.72	--	1
Perfluoroheptanoic Acid (PFHpA)	9.71		ng/l	1.86	--	1
Perfluorohexanesulfonic Acid (PFHxS)	5.92		ng/l	1.86	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.86	--	1
Perfluorooctanoic Acid (PFOA)	32.3		ng/l	1.86	--	1
Perfluorononanoic Acid (PFNA)	53.4		ng/l	1.86	--	1
Perfluorooctanesulfonic Acid (PFOS)	87.9		ng/l	1.86	--	1
Perfluorodecanoic Acid (PFDA)	10.9		ng/l	1.86	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.86	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.86	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.86	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	4.32		ng/l	1.86	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.86	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.86	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.86	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.86	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	76		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**67**	Q	70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**65**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	81		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-06 RE
Client ID: [redacted]
Sample Location: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/08/20 09:35
Analyst: SH

Date Collected: 09/23/20 12:52
Date Received: 09/24/20
Field Prep: Not Specified

Extraction Method: EPA 537
Extraction Date: 10/07/20 15:55

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	2.87		ng/l	1.82	--	1
Perfluorohexanoic Acid (PFHxA)	41.2		ng/l	1.82	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	3.64	--	1
Perfluoroheptanoic Acid (PFHpA)	8.40		ng/l	1.82	--	1
Perfluorohexanesulfonic Acid (PFHxS)	6.18		ng/l	1.82	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.82	--	1
Perfluorooctanoic Acid (PFOA)	26.0		ng/l	1.82	--	1
Perfluorononanoic Acid (PFNA)	41.4		ng/l	1.82	--	1
Perfluorooctanesulfonic Acid (PFOS)	85.6		ng/l	1.82	--	1
Perfluorodecanoic Acid (PFDA)	9.13		ng/l	1.82	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.82	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.82	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.82	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.82	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.82	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.82	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.82	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.82	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	80		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	71		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**68**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	80		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-07
Client ID: [redacted]
Sample Location: Not Specified

Date Collected: 09/23/20 12:14
Date Received: 09/24/20
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/05/20 15:52
Analyst: JW

Extraction Method: EPA 537
Extraction Date: 10/02/20 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	3.16		ng/l	1.84	--	1
Perfluorohexanoic Acid (PFHxA)	13.2		ng/l	1.84	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	3.68	--	1
Perfluoroheptanoic Acid (PFHpA)	3.72		ng/l	1.84	--	1
Perfluorohexanesulfonic Acid (PFHxS)	4.93		ng/l	1.84	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.84	--	1
Perfluorooctanoic Acid (PFOA)	16.2		ng/l	1.84	--	1
Perfluorononanoic Acid (PFNA)	18.6		ng/l	1.84	--	1
Perfluorooctanesulfonic Acid (PFOS)	56.2		ng/l	1.84	--	1
Perfluorodecanoic Acid (PFDA)	3.13		ng/l	1.84	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.84	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.84	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.84	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.84	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.84	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.84	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.84	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.84	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	**54**	Q	70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**50**	Q	70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**56**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	81		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

SAMPLE RESULTS

Lab ID: L2040242-08
Client ID: [redacted]
Sample Location: Not Specified

Date Collected: 09/23/20 13:45
Date Received: 09/24/20
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 10/05/20 16:01
Analyst: JW

Extraction Method: EPA 537
Extraction Date: 10/02/20 10:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	2.29		ng/l	1.84	--	1
Perfluorohexanoic Acid (PFHxA)	13.8		ng/l	1.84	--	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	3.69	--	1
Perfluoroheptanoic Acid (PFHpA)	3.39		ng/l	1.84	--	1
Perfluorohexanesulfonic Acid (PFHxS)	4.42		ng/l	1.84	--	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.84	--	1
Perfluorooctanoic Acid (PFOA)	15.6		ng/l	1.84	--	1
Perfluorononanoic Acid (PFNA)	23.6		ng/l	1.84	--	1
Perfluorooctanesulfonic Acid (PFOS)	82.5		ng/l	1.84	--	1
Perfluorodecanoic Acid (PFDA)	5.12		ng/l	1.84	--	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	1.84	--	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.84	--	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.84	--	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.84	--	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.84	--	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.84	--	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.84	--	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.84	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	**49**	Q	70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**45**	Q	70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**51**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	78		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 133,537.1
Analytical Date: 10/05/20 13:59
Analyst: JW

Extraction Method: EPA 537
Extraction Date: 10/02/20 10:30

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab for sample(s): 02-04,07-08 Batch: WG1417215-1					
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	--
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	--
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	4.00	--
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	--
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	--
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	--
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	--
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	--
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	--
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	--
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	--
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	--
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	--
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	--
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	--
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	--
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	--
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	71		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	79		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**67**	Q	70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	96		70-130

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

Method Blank Analysis
Batch Quality Control

Analytical Method: 133,537.1
Analytical Date: 10/08/20 08:51
Analyst: SH

Extraction Method: EPA 537
Extraction Date: 10/07/20 15:55

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab for sample(s): 01,05-06 Batch: WG1419389-1					
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	--
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	--
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	4.00	--
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	--
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	--
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	--
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	--
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	--
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	--
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	--
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	--
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	--
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	--
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	--
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	--
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	--
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	--
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	82		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	83		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	78		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	79		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: B0276190

Project Number: Not Specified

Lab Number: L2040242

Report Date: 10/09/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 02-04,07-08 Batch: WG1417215-2 WG1417215-3								
Perfluorobutanesulfonic Acid (PFBS)	92		95		70-130	3		30
Perfluorohexanoic Acid (PFHxA)	84		86		70-130	2		30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	70		72		70-130	3		30
Perfluoroheptanoic Acid (PFHpA)	**68**		**66**		70-130	3		30
Perfluorohexanesulfonic Acid (PFHxS)	88		92		70-130	4		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	93		95		70-130	2		30
Perfluorooctanoic Acid (PFOA)	86		94		70-130	9		30
Perfluorononanoic Acid (PFNA)	76		88		70-130	15		30
Perfluorooctanesulfonic Acid (PFOS)	93		97		70-130	4		30
Perfluorodecanoic Acid (PFDA)	84		90		70-130	7		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	71		81		70-130	13		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	74		96		70-130	26		30
Perfluoroundecanoic Acid (PFUnA)	**68**		74		70-130	8		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	84		88		70-130	5		30
Perfluorododecanoic Acid (PFDoA)	**66**		76		70-130	14		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	78		76		70-130	3		30
Perfluorotridecanoic Acid (PFTrDA)	82		90		70-130	9		30
Perfluorotetradecanoic Acid (PFTA)	94		98		70-130	4		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: B0276190
Project Number: Not Specified

Lab Number: L2040242
Report Date: 10/09/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 02-04,07-08 Batch: WG1417215-2 WG1417215-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	74		76		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	70		75		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	**67**	Q	72		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	81		85		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: B0276190

Project Number: Not Specified

Lab Number: L2040242

Report Date: 10/09/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01,05-06 Batch: WG1419389-2 WG1419389-3								
Perfluorobutanesulfonic Acid (PFBS)	79		83		70-130	5		30
Perfluorohexanoic Acid (PFHxA)	96		98		70-130	2		30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	86		92		70-130	7		30
Perfluoroheptanoic Acid (PFHpA)	90		92		70-130	2		30
Perfluorohexanesulfonic Acid (PFHxS)	90		85		70-130	6		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	93		91		70-130	2		30
Perfluorooctanoic Acid (PFOA)	106		94		70-130	12		30
Perfluorononanoic Acid (PFNA)	92		104		70-130	12		30
Perfluorooctanesulfonic Acid (PFOS)	84		86		70-130	2		30
Perfluorodecanoic Acid (PFDA)	88		102		70-130	15		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	114		**66**		70-130	**53**	Q	30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	88		96		70-130	9		30
Perfluoroundecanoic Acid (PFUnA)	76		92		70-130	19		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	84		88		70-130	5		30
Perfluorododecanoic Acid (PFDoA)	80		84		70-130	5		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	**53**		76		70-130	**36**		30
Perfluorotridecanoic Acid (PFTrDA)	96		104		70-130	8		30
Perfluorotetradecanoic Acid (PFTA)	122		130		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: B0276190

Project Number: Not Specified

Lab Number: L2040242

Report Date: 10/09/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01,05-06 Batch: WG1419389-2 WG1419389-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	84		81		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	79		77		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	74		76		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	83		84		70-130

Matrix Spike Analysis

Batch Quality Control

Project Name: B0276190 **Lab Number:** L2040242

Project Number: Not Specified **Report Date:** 10/09/20

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 02-04,07-08 QC Batch ID: WG1417215-4 WG1417215-5 QC Sample: L2040242-03 Client ID: 536-GR PD												
Perfluorobutanesulfonic Acid (PFBS)	2.29	1.66	3.85	107		3.72	105		70-130	9		30
Perfluorohexanoic Acid (PFHxA)	3.89	1.87	5.42	124		5.03	108		70-130	8		30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	1.87	ND	**66**		ND	86		70-130	NC		30
Perfluoroheptanoic Acid (PFHpA)	2.14	1.87	3.25	78		2.87	**61**		70-130	11		30
Perfluorohexanesulfonic Acid (PFHxS)	13.1	1.71	14.7	**47**	Q	14.4	**31**	Q	70-130	0		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	1.77	ND	93		ND	97		70-130	NC		30
Perfluorooctanoic Acid (PFOA)	6.43	1.87	8.23	**156**	Q	7.76	**138**		70-130	3		30
Perfluorononanoic Acid (PFNA)	7.93	1.87	9.72	**157**	Q	8.92	120		70-130	2		30
Perfluorooctanesulfonic Acid (PFOS)	13.0	1.74	15.9	**190**	Q	15.5	**176**	Q	70-130	11		30
Perfluorodecanoic Acid (PFDA)	ND	1.87	ND	98		1.81	102		70-130	NC		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	1.74	ND	73		ND	**64**		70-130	NC		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	1.87	ND	84		ND	72		70-130	NC		30
Perfluoroundecanoic Acid (PFUnA)	ND	1.87	ND	84		ND	72		70-130	NC		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	1.87	ND	74		ND	78		70-130	NC		30
Perfluorododecanoic Acid (PFDoA)	ND	1.87	ND	74		ND	**66**		70-130	NC		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	1.76	ND	76		ND	**66**		70-130	NC		30
Perfluorotridecanoic Acid (PFTrDA)	ND	1.87	ND	82		ND	**68**		70-130	NC		30
Perfluorotetradecanoic Acid (PFTA)	ND	1.87	ND	90		ND	78		70-130	NC		30

Matrix Spike Analysis

Batch Quality Control

Project Name: B0276190 ***Lab Number:*** L2040242

Project Number: Not Specified ***Report Date:*** 10/09/20

Parameter	*Native Sample*	*MS Added*	*MS Found*	*MS %Recovery*	*Qual*	*MSD Found*	*MSD %Recovery*	*Qual*	*Recovery Limits*	*RPD*	*Qual*	*RPD Limits*
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 02-04,07-08 QC Batch ID: WG1417215-4 WG1417215-5 QC Sample: L2040242-03 Client ID: 536-GR PD												

Surrogate	*MS % Recovery*	*MS Qualifier*	*MSD % Recovery*	*MSD Qualifier*	*Acceptance Criteria*
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	75		82		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	73		**67**	Q	70-130
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	77		71		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	**63**	Q	**61**	Q	70-130

Project Name: B0276190
Project Number: Not Specified

Lab Number: L2040242
Report Date: 10/09/20

Sample Receipt and Container Information

Were project specific reporting limits specified? NO

Cooler Information

Cooler	Custody Seal
A	Present/Intact

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2040242-01A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-01B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-02A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-02B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-03A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-03A1	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-03A2	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-03B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-03B1	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-03B2	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-04A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-05A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-05B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-06A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-06B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-07A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-07B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-08A	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)
L2040242-08B	Plastic 250ml Trizma preserved	A	NA		2.1	Y	Present/Intact		A2-537.1(14)

*Values in parentheses indicate holding time in days

Project Name: B0276190 **Lab Number:** L2040242

Project Number: **Report Date:** 10/09/20

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
PERFLUOROALKYL CARBOXYLIC ACIDS (PFCAs)		
Perfluorooctadecanoic Acid	PFODA	16517-11-6
Perfluorohexadecanoic Acid	PFHxDA	67905-19-5
Perfluorotetradecanoic Acid	PFTA	376-06-7
Perfluorotridecanoic Acid	PFTrDA	72629-94-8
Perfluorododecanoic Acid	PFDoA	307-55-1
Perfluoroundecanoic Acid	PFUnA	2058-94-8
Perfluorodecanoic Acid	PFDA	335-76-2
Perfluorononanoic Acid	PFNA	375-95-1
Perfluorooctanoic Acid	PFOA	335-67-1
Perfluoroheptanoic Acid	PFHpA	375-85-9
Perfluorohexanoic Acid	PFHxA	307-24-4
Perfluoropentanoic Acid	PFPeA	2706-90-3
Perfluorobutanoic Acid	PFBA	375-22-4
PERFLUOROALKYL SULFONIC ACIDS (PFSAs)		
Perfluorododecanesulfonic Acid	PFDoDS	79780-39-5
Perfluorodecanesulfonic Acid	PFDS	335-77-3
Perfluorononanesulfonic Acid	PFNS	68259-12-1
Perfluorooctanesulfonic Acid	PFOS	1763-23-1
Perfluoroheptanesulfonic Acid	PFHpS	375-92-8
Perfluorohexanesulfonic Acid	PFHxS	355-46-4
Perfluoropentanesulfonic Acid	PFPeS	2706-91-4
Perfluorobutanesulfonic Acid	PFBS	375-73-5
FLUOROTELOMERS		
1H,1H,2H,2H-Perfluorododecanesulfonic Acid	10:2FTS	120226-60-0
1H,1H,2H,2H-Perfluorodecanesulfonic Acid	8:2FTS	39108-34-4
1H,1H,2H,2H-Perfluorooctanesulfonic Acid	6:2FTS	27619-97-2
1H,1H,2H,2H-Perfluorohexanesulfonic Acid	4:2FTS	757124-72-4
PERFLUOROALKANE SULFONAMIDES (FASAs)		
Perfluorooctanesulfonamide	FOSA	754-91-6
N-Ethyl Perfluorooctane Sulfonamide	NEtFOSA	4151-50-2
N-Methyl Perfluorooctane Sulfonamide	NMeFOSA	31506-32-8
PERFLUOROALKANE SULFONYL SUBSTANCES		
N-Ethyl Perfluorooctanesulfonamido Ethanol	NEtFOSE	1691-99-2
N-Methyl Perfluorooctanesulfonamido Ethanol	NMeFOSE	24448-09-7
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	NEtFOSAA	2991-50-6
N-Methyl Perfluorooctanesulfonamidoacetic Acid	NMeFOSAA	2355-31-9
PER- and POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid	HFPO-DA	13252-13-6
4,8-Dioxa-3h-Perfluorononanoic Acid	ADONA	919005-14-4
CHLORO-PERFLUOROALKYL SULFONIC ACIDS		
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	11Cl-PF3OUdS	763051-92-9
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid	9Cl-PF3ONS	756426-58-1
PERFLUOROETHER SULFONIC ACIDS (PFESAs)		
Perfluoro(2-Ethoxyethane)Sulfonic Acid	PFEESA	113507-82-7
PERFLUOROETHER/POLYETHER CARBOXYLIC ACIDS (PFPCAs)		
Perfluoro-3-Methoxypropanoic Acid	PFMPA	377-73-1
Perfluoro-4-Methoxybutanoic Acid	PFMBA	863090-89-5
Nonafluoro-3,6-Dioxaheptanoic Acid	NFDHA	151772-58-6

Project Name:	B0276190	**Lab Number:**	L2040242
Project Number:	Not Specified	**Report Date:**	10/09/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report

Project Name:	B0276190	**Lab Number:**	L2040242
Project Number:	Not Specified	**Report Date:**	10/09/20

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

ND - Not detected at the reporting limit (RL) for the sample.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Report Format: Data Usability Report

Project Name:	B0276190	**Lab Number:**	L2040242
Project Number:	Not Specified	**Report Date:**	10/09/20

Data Qualifiers

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

Report Format: Data Usability Report

Project Name:	B0276190	**Lab Number:**	L2040242
Project Number:	Not Specified	**Report Date:**	10/09/20

REFERENCES

133 Determination of Selected Per- and Polyfluorinated Alkyl Substances in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS). EPA Method 537.1, EPA/600/R-18/352. Version 1.0, November 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility
EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene
EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility
SM 2540D: TSS
EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
EPA TO-12 Non-methane organics
EPA 3C Fixed gases
Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**
EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N**, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**
EPA 624.1: Volatile Halocarbons & Aromatics,
EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

Mansfield Facility:

Drinking Water
EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb**,** As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.
EPA 245.1 Hg.
SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

ALPHA

NEW JERSEY CHAIN OF CUSTODY

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 1

Date Rec'd in Lab: 9/25/20

ALPHA Job #: L2040242

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Project Information

Project Name: BO276190
Project Location:
Project #
(Use Project name as Project #) ✓
Project Manager: David Dibblee
ALPHAQuote #:

Turn-Around Time

Standard ✓ Due Date:
Rush (only if pre approved) ☐ # of Days:

Deliverables

☑ NJ Full / Reduced
☐ EQuIS (1 File) ☐ EQuIS (4 File)
☐ Other

Billing Information

☑ Same as Client Info
PO #

Client Information

Client: NJDEP, EMSA
Address: 516 E. State St. Trenton N.J.
Phone: 609-376-9415
Fax:
Email:

Regulatory Requirement

☐ SRS Residential/Non Residential
☐ SRS Impact to Groundwater
☐ NJ Ground Water Quality Standards
☐ NJ IGW SPLP Leachate Criteria
☐ Other

Site Information

Is this site impacted by Petroleum? Yes ☐
Petroleum Product:

These samples have been previously analyzed by Alpha ☐

For EPH, selection is REQUIRED:
☐ Category 1
☐ Category 2

For VOC, selection is REQUIRED:
☐ 1,4-Dioxane
☐ 8011

Other project specific requirements/comments:

Please specify Metals or TAL.

ANALYSIS: 537.1

Sample Filtration
☐ Done
☐ Lab to do
Preservation
☐ Lab to do
(Please Specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	537.1	Sample Specific Comments
40242-01	[redacted]	9/23/2020	1013-1015	Aqueous	DD	2	
-02		↓	1052-1054	↓	DD	2	
-03			1140-1144		DD	6	MS/MSD
-04			1018-1019		DD	1	Reagent Blank
-05			1237-1239		DD	2	
-06			1250-1252		DD	2	
-07			1212-1214		DD	2	
-08			1342-1345		DD	2	

Total Bottles

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type: P
Preservative: Trizma

Relinquished By:	Date/Time	Received By:	Date/Time
David Dibblee	9/24/2020	[signature]	9/24/20 1124
[signature]	9/24/20 1745	[signature] AAL	9/24/20 2000
[signature] AAL	9/25/20 0020	[signature]	9/25/20 0020
Wendy Moreno	9/25/20 4:00	T. Hinkle	9/25/20 0400
T. Hinkle	9/25/20 0530	[signature]	9/25/20 0520

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-14 HC (rev. 30-Sept-2013)